OMO ST.

WALNUT ST.

BURBRIDGE AVE.

MAPLE ST

EAST MAIN ST.

TREATMENT WORKS SITE

SUMNER CREEK

CONNECTICUT RIVER

N.Y. N.H. & H.R.R.

36"-C.I. Pipe Outfall Sewer - 6"-Gravel Foundation

1100'±

Gang Woodwell 1-30-37 to Scale 1"=100'


PIPE GALLERY
TREATMENT BUILDING
CLARIFICATION TANKS
No. 2
No. 1
DIGESTION TANKS
No. 2
No. 1
24"-C.I. BY-PASS
30" CONC. INFLUENT SEWER - 240'
Contract B2
Contract B3
Contract A2
Contract A1
Bridge Contract B2
See Drawing No. 106
Pres. existing shore line
Pres. existing shore line
Proposed roadway
Proposed roadway
Proposed roadway

SEWAGE TREATMENT WORKS
PROPOSED FOR
THE CITY OF MIDDLETOWN, CONN.
GENERAL PLAN

Thomas F. Bowe
Consulting Engineer
New York City

Samuel C. Cannon
Supt. of Public Works
Middletown, Conn.

Scale 1/8" = 1'-0"
February 1936

Drawing No. 104-107
SUZ-3
FILE V 29

LEGEND
32.76 X — Existing Grades Shown thus.
34.50 — Finished " " ".

Dr. by - F.S.B.
Tr. by - F.S.B.
Ch. by - J.G.A.

TREATMENT BUILDING
Floors El. 38.00

DIGESTION TANKS
NO. 1 NO. 2
GAS HOLDER
Top of Tanks 35.50'

CLARIFICATION TANKS
NO. 1 NO. 2
Top of Tanks 33.00'

All Slopes 1½:1

All Slopes 1 Vertical to 1½ Horiz.

Approx. Toe of Slope

Crest of Slope

Approx. Top of Slope

BITUMINOUS MACADAM ROADWAY

3'-10" CONC. SIDEWALK REINFORCED

Sidewalks to be Constructed under Contract 82.

200' - 12" C.I. LOW LEVEL INFLUENT SEWER

240' - 30" CONC. INFLUENT SEWER GRADE 0.17% ON PILE SUPPORTS - BENTS 8'-0" O.C.

Power Line ?

Flagpole

4" C.I. Fresh Water To plant

PAVED PLAZA

4" C.I. sludge pumps

FILL PIPE

1200 GAL. OIL TANK

VENT

Concrete Floor

Gravel & Conc. Foundation

GATE & BY-PASS CHAMBER

2-24" C.I. 2-30° Bends

100' - 24" C.I. @ 0.30% + 100' GRAVEL FOUNDATION - 6" DEEP

34 - 24" C.I. @ 0.30% - GRAVEL FOUNDATION 6" DEEP

Gravelly Conc. Foundation

24" C.I. Outfall Sewer

Sta. 0+00 Outfall Sewer

Inv. 18.41

Inv. 18.70

Inv. 19.00

Inv. 29.46

Rail Type - on wall Bracket

Sidewalk Lights 16 Sq. Ft. 4 Reg. on Pilot Gallery

These Sidewalk Lights To be designed for 500# per sq. ft.

To be designed for 350# per sq. ft.

2" Flush Hydrant

4" C.I. Fresh Water

Fence Posts 10' o.c.

Fence

N

X-19.00'
X-19.30'
X-20.19'
X-20.50'
X-21.52'
X-21.70'
X-21.42'
X-22.00'
X-21.48'
X-21.98'
X-18.88'
X-22.80'
X-20.12'
X-20.16'
X-21.68'
X-22.40'
X-20.21'





PLAN OF BALCONY

Scale 1/8"=1'-0"



NORTH ELEVATION

Scale 1/4"=1'-0"



PLAN - PILE FOUNDATION

Note :- PILES ARE INDICATED BY CIRCLE BUT ARE ACTUALY 12"x11" Sq. PILES.
LOCATION OF PILES ARE TENTATIVE - FINAL LOCATION TO BE ESTABLISHED AFTER LOADING TESTS ARE COMPLETED.

Scale 1/8"=1'-0"



FRONT ELEVATION

Scale 1/4"=1'-0"



SECTION - J.J.

BALCONY STEEL FRAMEWORK

Scale 1/2"=1'-0"

SEWAGE TREATMENT WORKS

PROPOSED FOR

THE CITY OF MIDDLETOWN, CONN.

PILE FNDN. ELEVATION & DETAILS

Thomas F. Bowe, Consulting Engineer, New York City
Samuel C. Cannon, Supt. of Public Works, Middletown, Conn.
Scale as shown
February 1936

Drawing No. 104-108

SU2-3


55'-0"
18'-2"
OFFICE AND LABORATORY
18'-8" x 12'-8"
CHEMICAL STORAGE
11'-0" x 12'-8"
LAVATORY
6'-0" x 6'-0"
SCREENING AND FILTERING ROOM
INCINERATOR CHARGING ROOM
Laboratory Table
Sink
File Cabinet Desk Top
Desk
Chair
Switch Board
Steel Partition
Future Vacuum Filter
Steel Jacketed Stack for Incinerator
Conveyor
Sludge Storage
Vacuum Filter
Filter Feed Valve
Screenings Sludge Hopper
Steel Stairs
Venturi Meter
Drinking Fountain
Shower
Steel Rolling Door
Floor Lights
Air Duct
Sec. 104° Rod
Sec. 108° Rod
Sec. 122° Rod
Sec. 135° Rod
All Outside Building Walls of Brick with Cement Stone Trim
All Roof Gutters and Leaders to be of Copper
All Rod Gutters on Ground Floor 8" Wide x 32" High
Floor Lights
Steel Sash
Steel Doors
Steel Rolling Door
Steel Stairway
Steel Ladder
Screenings Inspection Chute
Screenings Sludge Hopper
Screenings Conveyor
Screenings Discharge
Sewage Pump Motors
Fibre Board Panel Steel Moulding
Ornamental Iron Railing Around Balcony
Glazed
Window Sills
Metal Lath & Plaster
Fir Plank Grating
Steel Stairway
Floor Drain
Slope Floor to Drain
Slope Floor Towards Drain
Drinking Fountain
Shower Curtain
Shower Head
Shower Control Valve
Soap Dish
Towel Bar
Paper Holder
Mirror
Scale
Sink
Table
Cabinet
Chair
Desk
Stool
Ventilating Duct
Ventilating Duct Over Roof
Ventilating Duct Under Floor
Ventilating Duct Under Ceiling
Ventilating Duct Under Floor and Ceiling
Ventilating Duct Under Floor and Ceiling
Ventilating Duct Under Floor and









SEWAGE TREATMENT WORKS

PROPOSED FOR

THE CITY OF MIDDLETOWN, CONN.

TREATMENT BUILDING

Thomas F. Bowe
Consulting Engineer
New York City
Scale 1/4"=1'-0"

Samuel C. Cannon
Supt. of Public Works
Middletown, Conn.
February 1936

Dr. by F.S.B.
Tr. by F.S.B.
Ch. by C.E.P.

Drawing No. 104-110

SU2-3

File V-29



LEGEND

- Heating Piping - Building
- Hot Water Piping
- Fresh Water Piping
- Lighting Wiring
- Fuel Oil Lines
- Gas lines
- Power Cables
- Note: All Fixtures water Proof below Ground Floor.

BASEMENT PLAN



ROOF PLAN



EAST ELEVATION

SOUTH ELEVATION

SEWAGE TREATMENT WORKS

PROPOSED FOR

THE CITY OF MIDDLETOWN, CONN.

TREATMENT BUILDING

Thomas F. Bowe
Consulting Engineer
New York City
Scale 1/4" = 1'-0"

Samuel C. Cannon
Supt. of Public Works
Middletown, Conn.
February 1936

Dr. by F.S.B.
Tr. by F.S.B.
Ch. by J.G.A.

Drawing No. 104-111

SU2-3

File V-29


1½" Pipe Railing
Concrete Slab & Gravel Foundation
4'-0" Galv. Weir Plate
Elev. 29.30
Long Weir
Conc. Pipe @ 0.36%
12" Steel Scum Pipe
4'-0" Galv. Weir Plates
Long Weir
12" Steel Scum Pipe
Motor and Gear Reducing Mechanism for Sludge Collectors
Sludge Valves
14" C.I. Pipe
18" C.I. Pipe
14" Gate Valve
10" Gate Valve
Invert 27.45
Invert 28.80
8" C.I. Pipe
Concrete Brackets 6'-0" O.C. for Pipe Support.
Pipe Gallery
12" C.I. 12½°±8" Red Ell.
Wall
8" C.I.
5-¾" ϕ Bars
Approx. Existing Ground
Invert 27.45
Invert 27.95
Invert 28.80
Invert 29.05
Invert 29.60
Invert 29.65
Invert 30.30
Invert 30.40
Invert 30.50
Invert 30.60
Invert 30.70
Invert 30.80
Invert 30.90
Invert 31.00
Invert 31.10
Invert 31.20
Invert 31.30
Invert 31.40
Invert 31.50
Invert 31.60
Invert 31.70
Invert 31.80
Invert 31.90
Invert 32.00
Invert 32.10
Invert 32.20
Invert



SEWAGE TREATMENT WORKS
PROPOSED FOR
THE CITY OF MIDDLETOWN, CONN.
DIGESTION TANKS

Thomas F. Bowe
Consulting Engineer
New York City
Scale 1/4" = 1'-0"

Samuel C. Cannon
Supt. of Public Works
Middletown, Conn.
February 1936

Dr. by F.S.B.
Tr. by F.S.B.
Ch. by J.G.A.

Drawing No. 104-113
S U2-3
FILE



SECTIONAL PLAN - A-A. PIPE GALLERY



SECTIONAL ELEVATION - B.B. PIPE GALLERY

CUM

TYPE OF LETTERING
HEIGHT & WIDTH OF LETTERS VARIES WITH SIZE OF TABLET



FULL SIZE DETAIL

NOTE
BOTH BRONZE TABLETS TO BE FURNISHED BY CONTRACTOR
DESIGN OF TABLETS TO BE SUBMITTED TO P.W.A. FOR APPROVAL

NAME PLATE



SCUM PIPE DETAIL
CLARIFICATION TANKS
Scale ½" = 1'-0"



CONCRETE HEADWALL
Scale ½" = 1'-0"



SECTION A-A



PLAN

SECTION B.B

EFFLUENT TROUGHS
Scale ½" = 1'-0"



INFLUENT SEWER - BY PASS AND OUTFALL SEWER
Scale 1" = 10' Vert. 1" = 100' Horiz.

SEWAGE TREATMENT WORKS
PROPOSED FOR
THE CITY OF MIDDLETOWN, CONN.
PIPE GALLERY - OUTFALL SEWER - ECT.

Thomas F. Bowe
Consulting Engineer
New York City
Scale as shown

Samuel C. Cannon
Supt. of Public Works
Middletown, Conn.

Dr. by - F.S.B.
Tr. by - F.S.B.
Ch. by - J.G.A.

Drawing No. 104-114
SV2-3



GROUND FLOOR - CONCRETE BEAMS
Scale 1/8" = 1'-0"



BEAM DETAIL
Scale - None

BEAM SCHEDULE

BEAM	CONCRETE BEAM DIMENSIONS A	B	C	D	REINFORCEMENT BARS BAR SIZE	NO STRAIGHT	NO BENT	ANGLE "L"	DISTANCE "E" WALL	COLUMN	BEAM	STIRRUPS NO	BAR SIZE	SPACING AT EACH END
A	26"	14"	6"	9"	1"	2	3	45°	1@2'-4" 1@3'-10" 1@5'-4"	Same		12	⅜"	1@1½" 5@3"
B	14"	14"	6"	6"	⅞"	2	2	40°	2@2'-0"	Same		24	⅜"	1@1½" 1@3½" 3@4" 1@7" 3@4½" 3@5½"
C	11"	12"	6"	6"	⅞"	1	2	45°	2@2'-2"	Same		18	⅜"	1@1½" 1@3½" 4@4" 1@5" 2@5½"
D	10"	9"	6"	6"	¾"	1	1	30°	1@1'-4"	Same		12	⅜"	1@1" 3@2½" 1@2½" 10@3"
E	20"	14"	6"	6"	1" & ⅞"	2	3	45°		1@2'-4" 2@1'-4"		15	½"	1@1½" 1@4½" 1@1'-10" 5@6"
G	14"	9"	6"	4"	¾"	2	1	45°	1@1'-4"	1@1'-4"		10	⅜"	1@3" 4@7"
H	12"	9"	6"	9"	⅜"	1	2	30°	2@2'-6"	Same		6	⅜"	1@3½" 2@7"
J	9"	8"	4"	—	½"	1	1	30°	1@1'-3"		1@1'-3"	4	½"	1@2" 1@6"
J'	9"	8"	4"	6"	½"	1	1	30°	1@1'-3"	1@1'-3"		4	½"	1@2" 1@6"
K	14"	14"	6"	6"	⅞"	2	2	40° 40°	1@2'-6" 1@2'-6"	1@2'-6" 1@2'-6"		20	⅜"	1@3½" 3@4" 1@4½" 10@5" 3@5"
K'	14"	14"	6"	6"	⅞"	2	2	40° 40°		@2'-6" @2'-6"		20	⅜"	1@3½" 3@4" 1@4½" 10@5" 3@5"
M	10"	8"	6"	6"	⅜"	1	2	30°		1@2'-3" 1@2'-3"		6	⅜"	1@4½" 2@9"
N	15"	15"	6"		⅝"	2	2	40°	2@1'-8"					

Bar Arrangement

Bar Arrangement



DETAIL - SCREENING INSPECTION CHUTE
Scale ½" = 1'-0"

Dr. by - F.S.B.
Tr. by - F.S.B.
Ch. by - J.G.A.





SECTIONS - PROPOSED ROADWAY FILL SHOWING PIPE SUPPORTS
Scale - None.



PLAN



SECTION A-A



SECTION B-B

INLET BAFFLE BOX
Scale ½" = 1'-0"



BALCONY SECTION
Scale 1" = 1'-0"



CONCRETE STEPS
NORTH EAST CORNER OF TREAT. BLDG.
Scale ½" = 1'-0"



PARAPET WALL SECTION
Scale 1½" = 1'-0"

SEWAGE TREATMENT WORKS
PROPOSED FOR
THE CITY OF MIDDLETOWN, CONN.
GENERAL DETAILS

Thomas F. Bowe
Consulting Engineer
New York City
Scale as shown

Samuel C. Cannon
Supt. of Public Works
Middletown, Conn.
February 1936

Drawing No. ~~704-46~~ SU2-1 SU11